

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/509,377 08/28/2000 Sergey Matasov

RECEIVED
CENTRAL FAX CENTER

AUG 05 2005

United States Patent and Trademark Office
Commissioner for Patents
Art Unit 3739
Examiner Mr. Leubecker, John P.
P.O. Box 1450, Alexandria VA 22313-1450
United States of America

EXAMINER	
LEUBECKER, JOHN P	
ART UNIT	PAPER NUMBER

3739

Date mailed: August 5, 2005
By fax and air-mail

Total sheets, including the present one: 26

Here is the applicant's reply on the Notice of Non-compliant Amendment dated June 28th, 2005.


Version with markings to show the changes made in the substitute specification as well as the listing of claims are corrected in compliance with requirements of 37 CFR 1.121 and 1.125.

Enclosures:

1. Statement of amendments
2. Version with markings to show changes made. Listing of claims.
3. Substitute specification

on 1 sheet.
on 16 sheets.
on 8 sheets.

Faithfully Yours,
Dr. Sergey Matasov



Ph. (+371)7804281

RECEIVED
OIPE/AP

AUG 08 2005

Application Number: 09/509,377

Statement of amendment by substitute specification

Page 1 of 1

Date: August 5, 2005
Enclosure No. 1

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/509,377	08/28/2000	Sergey Matasov		9553

United States Patent and Trademark Office
Commissioner for Patents
Art. Unit 3739
Examiner Mr. Leubecker, John P.
P.O. Box 1450, Alexandria VA 22313-1450
United States of America

EXAMINER	
LEUBECKER, JOHN P	
ART UNIT	PAPER NUMBER

3739

RECEIVED
CENTRAL FAX CENTER

AUG 05 2005

DATE MAILED: August 5, 2005

STATEMENT OF AMENDMENT BY SUBSTITUTE SPECIFICATIONin compliance with §§ 1.121 and 1.125 (b) and (c)

Sir:

In response to the Notice of Non-Compliant Amendment dated June 28, 2005, please replace the current specification of record of above-identified application by the enclosed substitute specification.


The substitute specification almost completely reproduces the originally filed specification and includes no new matter.

A marked up version of the substitute specification showing all the changes to the specification of record is enclosed and captioned "Version with markings to show changes made".

A clean version of the substitute specification is enclosed.

Faithfully Yours,

Dr. Sergey Matasov



Ph. (+371)7804281